

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6766330".pn. and hierarch\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:24
L2	0	"6766330".pn. and hier \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:24
L3	1	"6766330".pn. and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:24
L4	1	"6766330".pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:52
L5	0	"6766330".pn. and (handheld or mobile or portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:55
L6	3737	(handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:55
L7	0	((handheld or mobile or portable or (cell near3 phone) or cell \$1phone or pda) same WML) and "20000101". AD.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:00

L8	69	((handheld or mobile or portable or (cell near3 phone) or cell \$1phone or pda) same WML) and xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:01
L9	1	"20020032706".pn. and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:17
L10	1	"6766330".pn. and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:47
L11	6153078	"6766330".pn. and creat\$4 or add\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 06:06
L12	1	"6766330".pn. and (reat\$4 or add\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 06:07
L13	439	(707/758).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
L14	205	(707/803).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
L15	10444	(707/999.003).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
L16	5780	(707/999.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
L17	1258	(transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:12
L18	0	L13 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12

L19	5	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
L20	0	L13 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
L21	347	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell \$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:12
L22	0	L13 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
L23	0	L13 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
L24	0	L13 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
L25	0	L13 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
L26	0	L14 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13

L27	0	L14 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
L28	2	L14 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
L29	29	L15 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
L30	0	L15 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
L31	40	L15 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
L32	0	L14 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
L33	0	L14 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
L34	2	L14 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
S1	2	"20070016909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 21:41

S2	2	"20020198874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 21:52
S4	1	(embedd\$4 with xpath with query) same (mark\$1up near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:10
S5	20	quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:11
S6	920	(transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:17
S7	3	(transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:17
S8	1	"20070016909".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 18:11
S9	0	(render\$4 near3 content) with (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:27
S10	0	(render\$4 near3 content) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S11	2	(render\$4 near3 content) and (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30

S12	44	(render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S13	0	(render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S14	1	render\$4 with (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:32
S15	52	(variable near3 resolution) and (render\$4 near3 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:33
S16	38	(variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:36
S17	0	embed\$4 with (query or queries) with (WML near3 document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:37
S18	0	embed\$4 with (query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:38
S19	112	(query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:38

S20	5	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/24 13:40
S21	5	(display\$4 or render \$4) near3 xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/24 13:50
S22	5	(display\$4 or render \$4) near3 xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:50
S23	833	xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:51
S24	347	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell \$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:51
S25	486	S23 not S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 14:53
S26	1226	xpath near3 expressions	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:16
S27	1266	(xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:16

S28	1	((quer\$\$ or search\$4) near3 resolution) with xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:19
S29	3138	(xpath)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:20
S30	28	(xpath) and (query\$4 near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:20
S31	17	(xpath) and (replac\$4 with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:23
S32	24	(xpath) and ((substitut \$4 or overwrit\$4 or replac\$4) with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:25
S33	788	(process\$4 or render \$4 or resolv\$4) same (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:27
S34	439	(process\$4 or render \$4 or resolv\$4) with (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:27
S35	5	(xpath) and ((variable or argument) near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:29

S36	2	"6766330".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S37	0	"6766330".pn. and (delimiting near3 token)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S38	0	"6766330".pn. and (delimit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S39	0	"6766330".pn. and token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S40	0	"6766330".pn. and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:38
S41	2	"6766330".pn. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:38
S44	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 02:10
S45	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 02:10

S46	33	darno.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 02:23
-----	----	-----------	---	----	----	---------------------

EAST Search History (Interference)

< This search history is empty >

3/ 26/ 2010 7:15:52 AM

**C:\ Documents and Settings\ pdarno\ My Documents\ EAST\ Workspaces\ App No - 09788311
\ search06-07-2008.wsp**